

PRO CESTUJÍCÍ LETADLEM

INFORMACE PRO LETIŠTNÍ A PALUBNÍ PERSONÁL

PROHLÁŠENÍ O ŽIVOT ZACHRAŇUJÍCÍM LÉKU

Adrenalinový autoinjektor se používá v případě léčby náhlých a život ohrožujících alergických reakcí (anafylaktického šoku), způsobených hmyzem, léky, potravinami či dalšími alergeny. Autoinjektor obsahuje sterilní roztok adrenalinu (epinefrinu), který je určený k akutní nitrosvalové aplikaci pomocí injekce.

Pacient
(jméno a příjmení)

trpí život ohrožující
alergií na

Adrenalinový autoinjektor je život zachraňující lék na lékařský předpis, který musí **mít pacient stále u sebe**. V naléhavém případě (život ohrožující anafylaktický šok nebo závažná alergická reakce) je nutné podat adrenalin.

Lékař
razítko/podpis/datum

PŘÍZNAKY, KTERÝMI SE MŮŽE PROJEVIT NÁSTUP ANAFYLAKTICKÉ REAKCE:

- Dýchací potíže**, sípání
- Svědění**, zejména na rukou a hlavě
- Bodavý pocit** v ústech
- Otok** v ústech, krku, rtů nebo očí
- Svědění, zarudnutí** nebo **kopřivka** kdekoli na těle
- Závratě, zmatenost**
- Bolesti břicha**, **nevolnost** nebo **zvracení**
- Náhlá únava**, **snížení krevního tlaku** nebo **mdloby**
- Dezorientace** nebo **ztráta vědomí**
- Slabý puls**

CERTIFICATE

Emerade®

FOR AIRLINE PASSENGER

INFORMATION FOR AIRPORT AND ONBOARD PERSONNEL

STATEMENT FOR RESCUE MEDICATION

Adrenaline auto-injector is used for the emergency treatment of sudden and life-threatening allergic reactions (anaphylactic shock) to insect stings and bites, foods, drugs and other allergen agents. Auto-injector contains a sterile solution of adrenaline (epinephrine) for emergency intra muscular self-injection.

The patient
(name)

is suffering from a life
threatening allergy

Adrenaline auto-injector is the prescribed rescue medication that the patient has to **carry at all time**. In case of an emergency (a life threatening anaphylactic shock or a serious allergic reaction) the adrenaline has to be administered.

Physician
stamp/signature/date

SYMPTOMS ANNOUNCING AN ANAPHYLACTIC REACTION:

- Difficulty breathing**, wheezing
- Itching**, especially under the feet, on the hands and on the head
- A **stinging feeling** in the mouth
- Swelling** in the mouth, throat, lips or eyes
- Itching, redness** or **nettle-rash** anywhere on the body
- Dizziness, confusion**
- Abdominal pain, nausea** or **vomiting**
- Sudden fatigue, decreased blood pressure** or **fainting**
- Disorientation** or **loss of consciousness**
- Weak pulse**